Author index

Ammerlaan, A. (*see* Wolswinkel, P.), 133
Andrews, M. The partitioning of nitrate assimilation between root and shoot of higher plants: mini review, 511
Andrews, M. Nitrate and reduced-N concentrations in the xylem sap of *Stellaria media, Xanthium strumarium* and six legume species: short communication, 605
Aro, E.-M., Rintamäki, E., Korhonen, P. & Mäenpää, P. Relationship between chloroplast structure and O_2 evolution rate of leaf discs in plants from different biotopes in South France, 87
Aslam, Z., Jesche, W. D., Barrett-Lennard, E.G., Setter, T.L., Watkin, E. & Greenway, H. Effects of external NaCl on the growth of *Atriplex amnicola* and the ion relations and carbohydrate status of the leaves, 571
Aslam, Z. (*see* Jesche, W.D.), 559
Atkinson, C.J., Winner, W.E. & Mooney, H.A. A field portable gas-exchange system for measuring carbon dioxide and water vapour exchange rates of leaves during fumigation with SO_4, 711

Baker, N.R. (*see* Webber, A.N.), 203
Baker, N.R. *see* Bradbury, M.), 289
Barber, D.J. (*see* Sims, A.P.), 111
Barrett-Lennard, E.G. (*see* Aslam, Z.), 571
Barta, A.L. Metabolic response of *Medicago sativa* L. and *Lotus corniculatus L.* roots to anoxia, 127
Beffagna, N., Pesci, P. & Radice, M. Thioproline-induced accumulation of proline in barley leaf sections, 141
Belkoura, M., Ranjeva, R. & Marigo, G. Cations stimulate proton pumping in *Catharanthus roseus* cells: implications of a redox system? 653
Bishop, D.G. Chilling sensitivity in higher plants: the role of phosphatdylglycerol: opinion, 613
Bliss, R.D., Platt-Aloia, K.A. & Thomson, W.W. Osmotic sensitivity in relation to salt sensitivity in germinating barley seeds, 721
Bliss, R.D. Platt-Aloia, K.A. & Thomson, W.W. The inhibitory effect of NaCl on barley germination, 727
Box, R.J. Quantitative short-term uptake of inorganic phosphate by the *Chara hispida* rhizoid: short communication, 501
Bradbury, M. & Baker, N.R. The kinetics of photoinhibition of the photosynthetic apparatus in pea chloroplasts, 289
Bravdo, B.-A. (*see* Yakir, D.), 477
Bravdo, B.-A. (*see* Yakir, D.), 581
Briggs, W.R. (*see* Shinkle, J.R.), 165
Brough, D.W., Jones, H.G. & Grace, J. Water content in apple trees, 1
Brown, A.D. (*see*, Goyal, A.), 703
Brown, B.H., Crozier, A. & Sandberg, G. Catabolism of indole-acetic acid in chloroplast fractions from light-grown *Pisum sativum* L. seedlings, 527

Caiger, D.P., Pearson, S.A. Smith, A.J. & Rogers, L.J. Differential effects of gabaculin and laevulinic acid on protochlorophyllide regeneration: short communication, 495
Carter, J.V. (*see* Guy, C.L.), 447
Chater, M. (*see* Leigh, R.A.), 595
Chrominski, A., Khan, M.A., Weber, D.J. & Smith, B.N. Ethylene and ethane production in response to salinity stress, 687
Clark, K.G. (*see* Spence, R.D.), 197
Clarkson, D.T., Hopper, M.J. & Jones, L.H.P. The effect of root temperature on the uptake of nitrogen and the relative size of the root system in *Lolium perenne*. I. Solutions containing both NH_4^+ and NO_3^-, 535
Cocucci, M.C. & Marré, E. Erythrosin B as an effective inhibitor of electrogenic H^+ extrusion: short communication, 677
Comstock, J. & Ehleringer, J.R. Photoperiod and photosynthetic capacity in *Lotus scoparius*: short communication, 609
Corchete, P. & Guerra, H. Effect of NaCl and polyethylene glycol on solute content and glycosidase activities during germination of lentil seeds, 589
Cork, R.J. Problems with the application of quin-2-AM to measuring cytoplasmic free calcium in plant cells, 157
Courtice, G.R.M. (*see* Jenkins, G.L.), 637
Cove, D.J. (*see* Jenkins, G.I.), 637
Crook, C.E. (*see* Griffiths, H.), 385
Crook, C.E. (*see* Smith, J.A.C.), 395
Crozier, A. (*see* Brown, B.H.), 527

Deane-Drummond, C.E. Substrate cycling model, 41
Deleens, E. (*see* Mordacq, L.), 735
Dracup, M., Gibbs, J., Stuiver, C.E.E., Greenway, H. & Flowers, T.J. Determination of free space, growth, solute concentrations and parameters of water relations of suspension-cultured tobacco cells, 693
Dwyer, M.R. The soluble carbohydrates of *Euglena gracilis*—their identity and response to increased external solute concentration: short communication, 485

Ehleringer, J.R. (*see* Comstock, J.), 609
Ehleringer, J. (*see* Werk, K.S.), 681
Eng-Chong Pua & Thorpe, T.A. Na_2SO_4 tolerance in tobacco plants, 9
Epstein, E. (*see* Kurth, E.), 667
Ericsson, A. (*see* McDonald, A.J.S.), 427
Ericsson, A. (*see* McDonald, A.J.S.), 433

Fares, Y. (*see* Magnuson, C.E.), 103
Fennel, K.J. (*see* Guy, C.L.), 447
Flower, D.J. & Ludlow, M.M. Osmotic adjustment and dehydration tolerance in pigeonpea, 33
Flowers, S.A. (*see* Flowers, T.J.), 645
Flowers, T.J. Flowers, S.A. & Greenway, H. Effects of sodium chloride on tobacco plants, 645
Flowers, T.J. (*see* Dracup, M.), 693
Folkes, B.F. (*see* Sims, A.P.), 111
Foster, J.R. (*see* Smith, W.K.), 751
Friemert, V. (*see* Ong, B.L.), 547
Fry, J.C. (*see* Wilson, L.G.), 239

Geller, G.N. (*see* Nobel, P.S.), 279
Geider, R.J. (*see* Osborne, B.A.), 617
Gibbs, J. (*see* Dracup, M.), 693
Goedert, C.O. & Roberts, E.H. Characterization of alternating-temperature regimes that remove seed dormancy in seeds of *Brachiara humidicola* (Rendle) Schweickerdt, 521
Goeschl, J.D. & Magnuson, C.E. Physiological implications of the Münch–Horowitz theory of phloem transport: effects of loading rates, 95
Goeschl, J.D. (*see* Magnuson, C.E.), 103
Goyal, A., McC. Lilley, A.D. & Brown, A.D. The size and turnover of the glycerol pool in *Dunaliella*, 703
Goyal, S.S. & Huffaker, R.C. A novel approach and a fully automated microcomputer-based system to study kinetics of NO_3^-, No_2^- and NH_4^- transport simultaneously by intact wheat seedlings, 209
Grace, J. (*see* Brough, D.W.), 1
Grace, J. (see Pitcairn, C.E.R.), 191
Greenway, H. (*see* Jesche, W.D.), 559
Greenway, H. (*see* Aslam, Z.), 571
Greenway, H. (*see* Flowers, T.J.), 645
Greenway, H. (*see* Dracup, M.), 693
Griffiths, H., Lüttge, U., Stimmel, K.-H., Crook, C.E., Griffiths, N.M. & Smith, J.A.C. Comparative ecophysiology of CAM and C_3 bromeliads. III. Environmental influences on CO_2 assimilation and transpiration, 385
Griffiths, H. (*see* Lüttge, U.), 377

Griffiths, H. (*see* Smith, J.A.C.), 359
Griffiths, H. (*see* Smith, J.A.C.), 395
Griffiths, H. (*see* Lüttge, U.), 411
Griffiths, N.M. (*see* Griffiths, H.), 385
Griffiths, N.M. (*see* Smith, J.A.C.), 395
Guerra, H. (*see* Corchete, P.), 589
Guinel, F.C. & McCully, M.E. Some water-related physical properties of maize root-cap mucilage, 657
Guinn, G. (*see* Radin, J.), 349
Gupta, P.L. (*see* Rorison, I.H.), 57
Guy, C.L., Niemi, K.J., Fennell & Carter, J.V. Survival of *Cornus sericea* L. stem cortical cells following immersion in liquid helium, 447
Guy, R.D. & Reid, D.M. Photosynthesis and $\delta^{13}C$ in a C_3 halophyte, 65

Hansen, D.H. Water relations of compound leaves and phyllodes in *Acacia koa* var. *latifolia*, 439
Harstock, L. (*see* Nobel, P.S.), 741
Hattersley, P.W., Suan-Chin Wong, Perry, S. & Roksandic, Z. Comparative ultrastructure and gas exchange characteristics of the C_3–C_4 intermediate *Neurachne minor* S.T. Blake, 217
Hattersley, P.W. (*see* Prendergast, H.D.V.), 333
Hensel, W. & Kruft, M. Gravity can induce epinastic isolated leaves, 421
Hiroshi Oota (*see* Yohji Esashi), 121
Hipkins, M.F. (*see* Webber, A.N.), 203
Hopper, M.J. (*see* Clarkson, D.T.), 535
Huffaker, R.C. (*see* Goyal, S.S.), 209
Hunt, R. (*see* Rorison I.H.), 49
Hunt, R. (*see* Rorison, I.H.), 57

Jeffree, C.E. (*see* Pitcairn, C.E.R.), 191
Jenkins, G.I., Courtice, G.R.M. & Cove, D.J. Gravitropic responses of wild-type and mutant strains of the moss *Physcomitrella patens*, 637
Jensen, A. (*see* Kurth, E.), 667
Jesche, W.D., Aslam, Z. & Greenway, H. Effects of NaCl on ion relations and carbohydrate status of roots and on osmotic regulation of roots and shoots of *Atriplex amnicola*, 559
Jesche, W.D. (*see* Aslam, Z.), 571
Johnson-Flanagan, A.M. & Singh, J. Membrane deletion during plasmolysis in hardened and non-hardened plant cells, 299
Johnston, A.M. & Raven, J.A. The utilization of bicarbonate ions by the macroalgae *Ascophyllum nodosum* (L.) Le Jolis, 175
Johnston, A.E. (*see* Leigh, R.A.), 595
Jones, H.G. (*see* Brough, D.W.), 1
Jones, L.H.P. (*see* Clarkson, D.T.), 535

Karabourniotis, G. (*see* Manetas, Y.), 145
Kee, S.C. (*see* Nobel, P.S.), 279
Khan, M.A. (*see* Chrominski, A.), 687
Kimiharu Isizawa (*see* Yohji Esashi), 121
King, R.W. Flowering of *Parbitis nil* is controlled by an endogenous semidian rhythm: short communication, 345
Klauke, B. (*see* Lüttge, U.), 411
Kluge, B.L. (*see* Ong, B.L.), 547
Korhonen, P. (*see* Aro, E.-M.), 87
Kruft, M. (*see* Hensel, W.), 421
Kurth, E., Jensen, A. & Epstein, E. Resistance of fully imbibed tomato seeds to very high salinities, 667

Lazarides, M. (*see* Prendergast, H.D.V.), 333
Leigh, R.A., Chater, M., Storey, R. & Johnston, A.E. Accumulation and subcellular distribution of cations in relation to the growth of potassium-deficient barley, 595
Lohammar, T. (*see* McDonald, A.J.S.), 427
Lohammer, T. (*see* McDonald, A.J.S.), 433
Ludlow, M.M. (*see* Flower, D.J.), 33
Lüttge, U., Klauke, B., Griffiths, H., Smith, J.A.C. & Stimmel, K.-H. Comparative ecophysiology of CAM and C_3 bromeliads. V. Gas exchange and leaf structure of C_3 bromeliads *Pitcairnia integrifolia*, 411
Lüttge, U., Stimmel, K.-H., Smith, J.A.C. & Griffiths, H. Comparative ecophysiology of CAM and C_3 bromeliads. II. Field measurements of gas exchange of CAM bromeliads in the humid tropics, 377
Lüttge, U. (*see* Smith, J.A.C.), 359
Lüttge, U. (*see* Griffiths, H.), 385
Lüttge, U. (*see* Smith, J.A.C.), 395
Lyons, J.M. (*see* Raison, J.K.), 685

Mäenpää, P. (*see* Aro, E.-M.), 87
Magnuson, C.E. (*see* Goeschl, J.D.), 95
Magnusson, C.E., Goeschl, J.D. & Fares, Y. Experimental tests of the Münch–Horwitz theory of phloem transport: effects of loading rates, 103
Malkin, S. (*see* Yakir, D.), 581
Manetas, Y., Petropoulou, Y. & Karabourniotis, G. Compatible solutes and their effects on phosphoenolpyruvate carboxylase of C_4-halophytes, 145
Marigo, G. (*see* Belkoura, M.), 653
Marré, E. (*see* Cocucci, M.C.), 677
Martin, B. Arrhenius plots and the involvement of thermotropic phase transitions of the thylakoid membrane in chilling impairment of photosynthesis in thermophilic higher plants: commissioned opinion, 323
Matzke, M.A. & Matzke, A.J.M. Potential-sensitive dyes and plant organelles, 73
Matzke, A.J.M. (*see* Matzke, M.A.), 73
Mauney, J.R. (*see* Radin, J.), 349
McC. Lilley, R. (*see* Goyal. A.), 703
McCully, M.E. (*see* Guinel, F.C.), 657
McDonald, A.J.S., Ericsson, A. & Lohammar, T. Dependence of starch storage on nutrient availability and photon flux density in small birch (*Betula pendula* Roth), 433
McDonald, A.J.S., Lohammar, T. & Ericsson, A. Growth response to step-decrease in nutrient availability in small birch (*Betula pendula* Roth), 427
Meinzer, F.C., Rundel, P.W., Sharifi, M.R. & Nilsen, E.T. Turgor and osmotic relations of the desert shrub *Larrea tridentata*, 467
Miller, A.L., Raven, J.A., Sprent, J.I. & Weisenseel, M.H. Ion currents in roots of *Trifolium repens*, 79
Mooney, H.A. (*see* Atkinson, C.J.), 711
Mordacq, L., Mousseau, M. & Deleens, E. A ^{13}C method of estimation of carbon allocation to roots in a young chestnut coppice, 735
Mousseau, M. (*see* Mordacq, L.), 735
Murfet, I.C. (*see* Musgrave, M.E.), 153
Musgrave, M.E., Murfet, I.C. & Siedow, J.N. Inheritance of cyanide-resistant respiration in two cultivars of pea (*Pisum sativum* L.), 153

Niemi, K.J. (*see* Guy, C.L.), 447
Nilsen, E.T. (*see* Meinzer, F.C.), 467
Nobel, P.S., Geller, G.N., Kee, S.C. & Zimmerman, A.D. Temperature and thermal tolerances for cacti exposed to high temperatures near the soil surface, 279
Nobel, P.S. & Harstock, T.L. Environmental influences on the productivity of three succulents in the south-western United States, 741

Okazaki, Y. & Tazawa, T. Involvement of calcium ion in turgor regulation upon hypotonic treatment in *Lamprothamnium succinctum*, 185
Okazaki, Y. & Tazawa, M. Effect of calcium ion on cytoplasmic streaming during turgor regulation in a brackish water charophyte *Lamprothamnium*: short communication, 491
Ong, B.L., Kluge, M. & Friemert, V. Crassulacean acid metabolism in the epithytic ferns *Drymoglossum piloselloides* and *Pyrrosia longifolia*: studies on responses to environmental signals, 547
Osborne, B.A. & Geider, R.J. Effect of nitrate–nitrogen limitation on photosynthesis of diatom *Phaeodactylum tricornutum* Bohlin (Bacillariophycaea), 617

Paige, C.D. (*see* Webber, A.N.), 203
Pearson, S.A. (*see* Caiger, D.P.), 495
Perry, S. (*see* Hattersley, P.W.), 217
Peisker, M. Models of carbon metabolism in C_3–C_4 intermediate plants as applied to the evolution of C_4 synthesis, 627
Pesci, P. (*see* Beffagna, N.), 141
Petropoulou, Y. (*see* Manetas, Y.), 145
Pitcairn, C.E.R., Jeffree, C.E. & Grace, J. Influence of polishing and abrasion on diffusive conductance of leaf surface of *Festuca arundinacea* Schreb., 191
Platt-Aloia, K.A. (*see* Bliss, R.D.), 721
Platt-Aloia, K.A. (*see* Bliss, R.D.), 727
Prendergast, H.D.V., Hattersley, P.W., Stone, N.E. & Lazarides, M. C_4 acid decarboxylation type in *Eragrostis* (Poaceae): patterns of variation in chloroplast position, ultrastructure and geographical distribution, 333

Radice, M. (*see* Beffagna, N.), 141
Radin, J.W., Mauney, J.R. & Guinn C. Diurnal osmotic cycling in cotton leaves as an indicator of source–sink balance: short communication, 349
Raison, J.K. & Lyons, J.M. Chilling injury: a plea for terminology: opinion, 685
Ranjeva, R. (*see* Belkoura, M.), 653
Raven, J.A. (*see* Miller, A.L.), 79
Raven, J.A. (*see* Johnston, A.M.), 175
Reed, R.H., Richardson, D.L. & Stewart, W.D.P. Osmotic responses of cyanobacteria, 25
Reid, D.M. (*see* Guy, R.D.), 65
Rich, T.C.G. & Smith, H. Comparison of lag time in plant physiology, 707
Richardson, D.L. (*see* Reed, R.H.), 25
Riederer, M. (*see* Schönherr, J.), 459
Rintamäki, E. (*see* Aro, E.-M.), 87
Roberts, E.H. (*see* Goedert, C.O.), 521
Rogers, L.J. (*see* Caiger, D.P.), 495
Roksandic, Z. (*see* Hattersley, P.W.), 217
Rorison, I.H., Gupta, P.L. & Hunt, R. Lathkill Dale NNR: plant growth in one season, 57
Rorison, I.H., Sutton, F. & Hunt, R. Lathkill Dale NNR: physical condition, 49
Rudich, J. (*see* Yakir, D.), 477
Rudich, J. (*see* Yakir, D), 581
Rundel, P.W. (*see* Meinzer, F.C.), 467

Sandberg, G. (*see* Brown, B.H.), 527
Satoko Ishida, (*see* Yohji Esashi), 121
Schönherr, J. & Riederer, M. Plant cuticles sorb lipophilic compounds during enzymatic isolation, 459
Setter, T.L. (*see* Aslam, Z.), 571
Sharifi, M.R. (*see* Meinzer, F.C.), 467
Sharpe, P.J.H. (*see* Spence, R.D.), 197
Shinkle, J.R. & Briggs, W.R. Optimization of red light-induced elongation in *Avena* coleoptile sections and properties of the phytochrome-mediated growth response, 165
Siedow, J.N. (*see* Musgrave, M.E.), 153
Sievers, A. (*see* Wendt, M.), 17
Sims, A.P., Barber, D.J., Folkes, B.F. & Walls, D. Sealed lysimeters for the direct estimation of dinitrogen fixation by grain legume crops, 111
Singh, J. (*see* Johnson-Flanagan, A.M.), 299
Smith, B.N. (*see* Chrominski, A.), 687
Smith, H. (*see* Rich, T.C.G.), 707
Smith, J.A.C., Griffiths, H. & Lüttge, U. Comparative ecophysiology of CAM and C_3 bromeliads. I. The ecology of the Bromeliaceae in Trinidad, 359
Smith, J.A.C., Griffiths, H. Lüttge, U., Crook, C.E., Griffiths, N.E. & Stimmel, K.-H. Comparative ecophysiology of CAM and C_3 bromeliads. IV. Plant water relations, 395
Smith, J.A.C. (*see* Lüttge, U.), 377
Smith, J.A.C. (*see* Griffiths, H.), 385
Smith, J.A.C. (*see* Lüttge, U.), 411
Smith, S.A. (*see* Caiger, D.P.), 495
Smith, W.K. & Foster, J.R. Influence of stomatal distribution on transpiration in low-wind environments, 751
Sobrado, M.A. Tissue water relations and leaf growth of tropical corn cultivars under water deficits, 451
Spence, R.D., Wu, H., Sharpe, P.J.H. & Clark, K.G. Water stress effects on guard cell anatomy and the mechanical advantage of the epidermal cells, 197
Sprent, J.I. (*see* Miller, A.L.), 79
Stewart, W.D.P. (*see* Reed, R.H.), 25
Stienstra, A.W. Nitrate accumulation and growth of *Aster tripolium* L. with a continuous and intermittent nitrogen supply, 307
Stimmel, K.-H. (*see* Lüttge, U), 377
Stimmel, K.-H. (*see* Griffiths, H.), 385
Stimmel, K.-H. (*see* Smith, J.A.C.), 395
Stimmel, K.-H. (*see* Lüttge, U.), 411)
Stone, N.E. (*see* Prendergast, H.D.V.), 333
Storey, R. (*see* Leigh, R.A.), 595
Stuiver, C.E.E. (*see* Dracup, M.), 693
Suan-Chin Wong (*see* Hattersley, P.W.), 217
Sutton, F. (*see* Rorison, I.H.), 49

Tazawa, M. (*see* Okazaki, Y.), 185
Temple, P.J. Stomatal conductance and transpirational responses of field-grown cotton to ozone, 315
Thomson, W.W. (*see* Bliss, R.D.), 721
Thomson, W.W. (*see* Bliss, R.D.), 727
Thorpe, T.A. (*see* Eng-Chong Pua), 9

Walls, D. (*see* Sims, A.P.), 111
Ward, D.A. & Woolhouse, H.W. Comparative effects of light during growth on the photosynthetic properties of NADP-ME type C_4 grasses from open and shaded habitats. I. Gas exchange, leaf anatomy and ultrastructure, 261
Ward, D.A. & Woolhouse, H.W. Comparative effects of light during growth on the photosynthetic properties of NADP-MF type C_4 grasses from open and shaded habitats. II. Photosynthetic enzyme activities and metabolism, 271
Watkin, E. (*see* Aslam, Z.), 571
Webber, A.N., Baker, N.R., Paige, C.D. & Hipkins, M.F. Photosynthetic electron transport and establishment of an associated trans-thylakoid proton electrochemical gradient during development of the wheat leaf, 203
Weber, D.D. (*see* Chrominski, A.), 687
Weisenseel, M.H. (*see* Miller, A.L.), 79
Wendt, M. & Sievers, A. Restitution of polarity in statocytes, 17
Werk, K.S. & Ehleringer, J. Field water relations of a compass plant, *Latuca serriola* L.: short communication, 681
Wilson, L.G. & Fry, J.C. Extensin—a major cell wall glycoprotein: review, 239
Winner, W.E. (*see* Atkinson, C.J.), 711
Wolswinkel, P. & Ammerlaan, A. Turgor-sensitive transport in developing seeds of legumes: the role of the stage of development and the use of excised *vs.* attached seed coats, 133
Woolhouse, H.W. (*see* Ward, D.A.), 261
Woolhouse, H.W. (*see* Ward, D.A.), 271
Wu, H. (*see* Spence, R.D.), 197

Yakir, D., Rudich, J. & Bravdo, B.-A. Adaptation to chilling: photosynthetic characteristics of the cultivated tomato and a high altitude wild species, 477
Yakir, D., Rudich, J., Bravdo, B.-A. & Malkin, S. Prolonged chilling under moderate light: effect on photosynthesis activity measured with the photoacoustic method, 581
Yohji Esashi, Yukio Saijoh, Satoko Ishida, Hiroshi Oota & Kimiharu Isizawa. Reversal of ethylene action on cocklebur seed germination in relation to duration of pre-treatment soaking and temperature, 121
Yukio Saijoh, (*see* Yohlji Esashi), 121

Zimmerman, A.D. (*see* Nobel, P.S.), 279

Book reviews

Books received

Bewley, J.D. & Black, M. Seeds. Physiology of Development and Germination, 356
Brett, C.T. & Hillman, J.R. (eds) Biochemistry of Plant Cell Walls, 85
Bryant, J.A. & Francis, D. (eds) The Cell Division Cycle in Plants, 236
Chadwick, C.M. & Garrod, D.R. (eds) Hormones, Receptors and Cellular Interactions in Plants. Intercellular and Intracellular Communication I., 762
Dirzo, R. & Sarukhan J. (eds) Perspectives on Plant Population Ecology, 355
Heath, R.L. & Preiss, J. (eds) Regulation of Carbon Partitioning in Photosynthetic Tissue, 356
Jeffcoat, B., Hawkins, A.F. & Stead, A.D. (eds) Regulation of Sources and Sinks in Crop Plants. British Plant Growth Regulation Group Monograph 12, 235
Kershaw, K.A. Cambridge Studies in Ecology: Physiological Ecology of Lichens, 510
Lobban, C.S., Harrison, P.J. & Duncan, M.J. The Physiological Ecology of Seaweeds, 163
Lucas, W.J. & Berry, J.A. Inorganic Carbon Uptake by Aquatic Photosynthetic Organisms, 507
Mantell, S.H., Matthews, J.A. & McKee, R.A. Principles of Plant Biotechnology: An Introduction to Genetic Engineering in Plants, 509
Marshall, B. & Woodward, F.I. (eds) Instrumentation for Environmental Physiology, 761
Miflin, B.J. (ed) Oxford Surveys of Plant Molecular and Cell Biology, 353
Pharis, R.P. & Reid, D.M. (eds) Hormonal Regulation of Development. III. Role of Environmental Factors. Encyclopedia of Plant Physiology, Vol. II., 762
Roberts, J.A. & Tucker, G.A. (eds) Ethylene and Plant Development, 354
Walkey, D.G.A. Applied Plant Virology, 507
Walter, H. & Breckle, S.-W. Ecological Systems of the Geobiosphere. I. Ecological Principles in Global Perspective, 355

Reviewers

Bryant, J.A., 509
Dale, J.E., 762
Draper, J., 353
Firn, R.D., 762
Fry, S.C., 85
Grime, J.P., 355
Jackson, M.B., 354
John, P.C.L., 236
Jones, A.T., 507
Keiller, D., 235, 357
Roberts, E.H., 356
Russell, G., 163
Schulte, P.J., 761
Smith, D.C., 510

Subject index

Abutilon theophrasti, 103
Acacia koa, 439
Acclimation, 477
Acetotoxymethyl esters, 157
Agavaceae, 741
Agave deserti, 741
Air temperature, 49, 57
Alfalfa, 127, 299
Algae, 485, 703
Alkalinity, 175
Alternating temperatures, 521
Alternative respiration, 153
Amelioration, 685
δ-aminolaevulinic acid, 495
Amphistomaty, 751
Ariocarpus fissuratus, 279
Arrhenius break, 323
Arrhenius plot, 323
Ascophyllum nodosum, 175
Aster tripolium L., 307
Atrazine-binding, 289
Atriplex amnicola, 559, 571
Auxin, 165
Avena sativa, 165

Bacillariophyceae, 617
Barley, 141, 595
Betula pendula Roth, 427, 433
Bicarbonate utilization, 175
Birch, 427, 433
Birdsfoot trefoil, 127
Blue-green algae, 25
Brachiara humidicola, 521
Brassicaceae, 17
Brassica napus, 299
Broad bean, 133
Bromeliaceae, 359, 395, 411
Bromeliads, 377, 385
Bromeliad scales, 411
Bryophytes, 637

^{13}C, 735
Ca^{2+}, 653
$CaCl_2$, 687
C_3–C_4 intermediates, 217
C_3–C_4 intermediate plants, 627
Cactaceae, 279, 741
C_4 grasses, 271
Cajanus cajan, 33
Calcium 721, 727
Calcium ion, 185, 491
Calcium measurements, 157
Calmodulin, 653
Capsicum annum, 459
C_3 plants, 627
C_4 plants, 627
Carbon, 427, 433
Carbon allocation, 735
Carbon dioxide, 121
Carbon isotope discrimination, 627
Catharanthus roseus cells, 653
Cavitation, 1
Cell elastic modulus, 451
Cell sap, 693
Cell solutes, 25
Cell volume, 25
Cell wall, 299
Cell wall models, 239
Characerae, 185, 491
Chara hispida, 501
Chenodiaceae, 559, 571
Chestnut coppice, 735
Chilling, 581
Chilling injury, 323, 685
Chilling insensitive plants, 685
Chilling sensitive plants, 685
Chilling sensitivity, 613
Chilling stress, 477
Chloridoideae, 333
Chlorophyll *a*/*b* ratio, 87
Chlorophyll synthesis, 495
Chloroplasts, 279, 527
Chloroplast development, 203
Chloroplast ultrastructure, 87
Citrus aurantium, 459
Clinostat-induced epinasty, 421
Cocklebur seeds, 121
CO_2 compensation concentration, 627
CO_2 compensation point, 217
CO_2 enrichment, 65
CO_2 exchange, 547
Cold acclimation, 447
Cold stress, 447
Coleoptile section, 165
Compositae, 121
Concentration, 103
Conditioning, 685
Conductance, 439
Cotton, 315, 349
C_4 photosynthesis, 261, 333
Crassulacean acid metabolism (CAM), 359, 377, 385, 395, 547, 741
Cress root, 17
Cryo-fixation, 191
Cyanide-resistant, 153
Cyanobacterium, 25
Cytoplasm, 595
Cytoplasmic free calcium, 157
Cytoplasmic streaming, 491
Cuticle, 191

Day-length, 609
Decarboxylating enzymes, 333
Desert, 279, 741
Developmental mutants, 637
Diffusive conductance, 191
Diffuse radiation, 49
Digitaria decumbens, 103
3,3′-dihexyloxacarbocyanine iodide ($DiOC_6(3)$), 73
Direct estimation, 111
Direct radiation, 49
Diurnal acid rhythm, 547
Drought, 547
Drought stress, 315
Dry weight, 657
Dunaliella teriolecta, 703
Dwarfism, 153

Echinochla crus-galli, 103
Ecophysiology, 359, 395
Ecotypes, 307
Electron transport, 203, 289
Elongation, 165
Energy status, 127
Enzymatic isolation, 459
Epicuticular wax, 191
Epiphytes, 359, 377, 385, 395
Epithelantha bokei, 279

Eragrostis, 333
Erythrosin B, 677
Ethane, 687
Ethylene, 121, 687
Euglena gracilis, 485
Expanding and expanded root tissues, 559
Extensin-biosynthesis, 239
Extensin-functions, 239
Extensin-structure, 239
Evolution, 627

Fabaceae, 33, 313
Fatty acids, 459
Fermentation, 127
Ferocactus acanthodes, 279, 741
Festuca arundinacea Schreb, 191
Ficus elastica, 459
Flowering endogenous rhythm, 345
Fluorescence kinetics, 289
Fluorescence microscopy, 73
Free convection, 751
Free space, 693
Freeze-substitution, 657
Freezing hardiness, 299
Freezing tolerance, 447
Fusicoccin, 165, 677

Gabaculin, 495
Gas exchange, 217, 261, 377, 385, 411, 711
GC–MS, 527
Geographical distribution in Australia, 333
Germination, 9, 121, 667, 721, 727
Glucose-6-phosphate, 127
Glycerol, 703
Glycoprotein, 239
Gossipium hirsutum, 103, 349, 315
Grasses, 217
Gravitropism, 17, 637
Gravity-induced epinasty, 421
Grimineae, 165, 191, 535, 595, 657
Growth, 307, 427, 433, 693
Growth responses, 595

Halophyte, 65
Halotolerant, 703
Hardening, 685
Heat tolerance, 279
H^+ efflux, 653
Heteromeles arbutifolia, 711
Heterophyllous acacias, 439
Heterotrophs, 485
H^+ extrusion, 677
Hordeum vulgare, 141, 595
HPLC, 527
Humid tropics, 377
Hydration, 727
Hydroxyproline-rich glycoprotein, 239
Hypostomaty, 751

Indole-3-acetic acid, 527
Indole-3-methanol, 527
Initial photosynthetic products, 271
Intracuticular soluble lipids (waxes), 459
Ion currents, 79
Ion transport, 209
Inorganic carbon, 175
Ipomoea batata, 103
Irrigation, 1
Isodityrosine, 239

KCl, 687
Kinetics, 707

La^{3+}, 653
Lactuca serriola, 681
Laevulinic acid, 495
Lag, 707
Lamiceae, 421
Lamprothamnium succinctum, 185, 491
Larrea tridentata, 467
Latent, 707
Leaf anatomy, 333, 261
Leaf epinasty, 421
Leaf extension, 451
Leaf nitrogen content, 609
Leaf orientation, 681
Leaf surface damage, 191
Leaf temperature, 751
Leaf water relations, 547
Legume, 111, 605
Leguminosae, 527, 589
Lens culinaris, 589
Lentil, 589
Lepidium sativum L., 17
Lethal relative water content, 33
Lethal water potential, 33
Life-forms, 359
Light saturated photosynthesis, 617
Lipid phase transition, 323
Loading, 103
Loading rate, 95
Lolium perenne, 535
Lotus scoparius, 609
Lycopersicon cheesmanii, 667
Lycopersicon esculentum, 459, 477, 581, 667
Lycopersicon hirsutum, 477
Lysimeter, sealed, 111

Malvaceae, 315
Mammillaria lasiacantha, 279
Mannitol, 485
Maternal inheritance, 153
Mediterranean climate, 609
Membrane permeability, 721
Membrane potential, 73
Method, 735
$MgCl_2$, 687
Microcomputer, 209
Microfilaments, 17
Microhabitat, 279
Midday depression, 411
Mitochondria, 73
Model, 279, 627
Moss, 637

NaCl, 687
NAD-malic enzyme, 333
Na_2SO_4, 9
Neurachne minor, 217
Neurachneae, 217
$^{15}N_2$-fixation, 111
NH_4^+ substrate cycle, 41
Nicotiana tobaccum, 9, 645
Nitrate, 521
Nitrate accumulation, 307
Nitrate assimilation, 511, 605
Nitrate limitation, 617
Nitrate reductase activity, 511, 605
Nitrogen, 427, 433
Nitrogen fixation, 111
Nitrogen uptake shoot, 535
NMR, 485
North slope, 49, 57
NO_3^- uptake, 41
Nuclear membrane, 73
N uptake kinetics, 209
Nutrient demand, 535

Oats, 165
O_2 evolution, 87
Opuntia bigelovii, 279
Opuntia ficus-indica, 279, 741
Osmoregulation, 703
Osmotic adjustment, 33, 451
Osmotic potential, 467
Osmotic pressure, 349, 395
Ozone, 315

Panicum miliodes, 217
Partitioning, 427, 433
Paspalum conjugatum, 261
Paspalum plicatulum, 103
Pathogens, 79
Pea, 41, 133, 153, 289
Phaeodactylum tricornutum, 617
Phaephyceae, 175
Pharbitis, 345
Phloem speed, 103
Phloem transport, 133
Phloem transport model, 95
Phosphate uptake, 501
Phosphatidyglycerol, 613
Phosphoenolpyruvate carboxylase, 65
Photo-acoustic, 581
Photoinhibition, 289, 581
Photon yield, 617
Photo period, 609
Photosynthesis, 65, 175, 323, 427, 433, 609
Photosynthetic capacity, 609
Photosynthetic enzymes, 271
Phototropism, 707
Physcomitrella patens, 637
Phytochrome, 165, 345
Pigeonpea, 33
Pisum, 111
Pisum sativum, 41, 133, 153, 527
Pitcairnia integrifolia, 411
Plant cell walls, 239
Plant ecology, 49, 57
Plant growth, 451
Plant physiology, 707
Plasmalemma ATPase, 677
Plasmalemma strands, 299
Plasmolysis, 299
Pletranchus fructicosus, 421
Poaceae, 217, 333
Potassium, 559, 571, 595
Pressure volume curve, 467
Productivity, 741
Proline accumulation, 141
Protochlophyllide regeneration, 495
Proton electrochemical gradient, 203
Proton pumping, 203
Puccinellia nuttalliana (Schultes) Hitch., 65

Quin-2, 157
Quin-2-AM, 157

Recovery, 477
Recycling of respired CO_2, 385
Red-osier dogwood, 447
Redox chain, 653
Resistance to chilling, 685
Rhizobium mycorrhizas, 79
Rhizoid uptake, 501
Rhizosphere, 79
Ribulose-l,5-bisphosphate carboxylase, 65
Root, 741
Root-cap mucilage, 657
Root exudation, 127
Rooting, 9
Roots, 735
Root temperature, 535
Rye, 299

Salinity, 65, 645, 667, 721, 727
Salinity stress, 687
Saltbush, 559, 571
Salt-stress, 589
Salt-tolerance, 645
Scanning electron microscopy, 191
Sea spray, 411
Seed coat, 133
Seed development, 133
Seed dormancy, 521
Seedlings, 209
Seeds, 667
Sensitivity to chilling, 685
Shade, 261
Shading, 271
Shoot proliferation, 9
Shoot ratio, 535
Sinapis alba L., 707
Sink limitation, 349
Sink strength, 133
Sodium, 559, 571
Soil temperature, 49, 57
Solanaceae, 9, 667
Soluble carbohydrates, 485
Solute compartmentation, 595
Solute concentrations, 693
Sorption by isolated cuticles, 459
South slope, 49, 57
Stable carbon isotopes, 65
Starch, 427, 433
Statocyte polarity (restitution), 17
Stellaria, 605
Stomata, 439
Stomatal conductance, 65, 315, 751
Stress, 667
Suberized lamella, 217, 333
Sulphur dioxide, 711
Sugar and starch, 559, 571
Surface potential, 653
Suspension culture, 693
Suspension-cultured tobacco cells, 691
Symbionts, 79

Taxonomy, 333
Temperate plants, 511
Temperature, 121, 741
Thermal time, 57
Thermoperiod, 521
Thermophilic plants, 323
Thioproline, 141
Threshold, 727
Thylakoid membrane, 323
Thylakoid organization, 87
Thylakoid polypeptides, 87
Time course, 705
Tissue culture, 9
Tissue water relations, 467
Tobacco, 9, 693
Tolerance to chilling, 685
Tomato, 581, 667
Transmembrane electric potential, 677
Transpiration, 315, 751
Trehalose, 485
Trinidad, 359, 411
Tropical corn, 451
Tropical epiphytic ferns, 547
Tropical plants, 511
Turgor maintenance, 451, 467
Turgor potential, 467

Turgor regulation, 185, 491
Turgor-sensitive transport, 133

Ultrastructure, 217, 261, 727

Vacuole, 595
Vesiculation, 299
Vicia faba, 133
Vigna radiata, 687

Water activity, 485
Waterlogging, 127
Water potential, 1, 439, 687
Water relations, 395, 439, 451, 681, 691, 693
Water-stress, 589
Water-use efficiency, 65, 681
Wheat, 209
Wheat leaf, 203
Wind, 191
Wood density, 1

Xanthium, 605
Xanthium pennsylvanicum, 121
X-ray micro-analysis, 595
Xylem, 1
Xylem sap analysis, 511, 605
Xylem tension, 395

Young and old leaves, 571

Zea mays, 261, 451, 657